RECEIVED **CENTRAL FAX CENTER**

FEB 0 2 2005

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

John Vivian WOOD et al

Application No: 09/514,759

Filed: February 28, 2000

For: A BIOCOMPATIBLE GRIPPING DEVICE

3731 Art Unit:

Examiner:

Michael H. Thaler

PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a)

COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir:

Applicant hereby petitions for two months' extension of time, i.e. until February 14, 2005, for reply to the Office Action dated September 14, 2004, under 37 CFR 1.136(a). Please charge \$450 for the fee under 37 CFR 1.17(a)(2) to Deposit Account 19-2560.

Respectfully submitted,

John Smith-Hill Reg. No. 27,730

SMITH-HILL & BEDELL, P.C. 12670 N.W. Barnes Road, Suite 104 Portland, Oregon 97229

Tel. (503) 574-3100 Fax (503) 574-3197

Docket: SWIN 2012

Certificate of Facsimile Transmission

I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office on the date shown below.

John Smith-Hill

Date

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

| Defects in the images include but are not limited to the items checked: |
|---|
| ☐ BLACK BORDERS |
| ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES |
| ☐ FADED TEXT OR DRAWING |
| ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING |
| ☐ SKEWED/SLANTED IMAGES |
| ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS |
| GRAY SCALE DOCUMENTS |
| LINES OR MARKS ON ORIGINAL DOCUMENT |
| REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY |
| |

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.